




| Pos | Part Number | Description                    | Additional Text | Quantity |
|-----|-------------|--------------------------------|-----------------|----------|
| 3   | 48600811S   | Adjuster compression cpl.      |                 | 2.00     |
| 12  | 48600736    | Fork outer tube 49,13x577 dt54 |                 | 2.00     |
| 13  | 48600698    | Fork protection ring 62,1mm    |                 | 2.00     |
| 15* | 48601009    | Guide bushing 48x52x12         |                 | 2.00     |
| 16  | 48600013    | Supportwasher 50x57,6x1,5      |                 | 2.00     |
| 17* | 48600969    | Shaft seal SKF 48x57,9x9 grün  |                 | 2.00     |
| 18  | 48600070    | Snap ring SB58x1,5 acc drawing |                 | 2.00     |
| 19* | 48600968    | DUST SEAL DL D48 SKF           |                 | 2.00     |
| 22* | 48601008    | Guide bushing 47x49x20         |                 | 2.00     |

|     |            |                                |                 |      |
|-----|------------|--------------------------------|-----------------|------|
| 24  | 48600281   | Membrane 11,2x37x112           |                 | 2.00 |
| 26  | 48600301   | O-ring 9,5x1,5 NBR70 yellow    |                 | 2.00 |
| 27  | 46810811   | O-ring 17x2 70 Sh NBR black    |                 | 2.00 |
| 28  | 48600280S  | SCREW BUSH M20X1 L=33 CPL.     |                 | 2.00 |
| 29  | 48600275   | Copper disc 20,5x26x1          |                 | 2.00 |
| 30  | 48600269   | Adjustment tube 6x371          |                 | 2.00 |
| 31  | 48600464   | Piston rod 12x405              |                 | 2.00 |
| 32  | 48600459   | Lock nut M12x1 h23 WAF17       |                 | 2.00 |
| 33  | 48600887   | Needle 4,5x43,6 rebound        |                 | 2.00 |
| 34  | 48600298   | O-ring 2x1,5 NBR70             |                 | 2.00 |
| 35  | 48600444   | Spring (5,4) 4-23 rebound      |                 | 2.00 |
| 38  | 91410010S  | SPRING D43.2 L485 5.2N/MM      |                 | 0.00 |
| 38  | 91410030S  | SPRING 5,0 N/MM                |                 | 0.00 |
| 38  | 91410059S  | SPRING 4,0 N/MM SET            |                 | 0.00 |
| 38  | 91410060S  | SPRING 4,2 N/MM SET D=5,0MM    |                 | 0.00 |
| 38  | 91410027S  | SPRING 4,4 N/MM SET D=5,1MM    |                 | 0.00 |
| 38  | 91410020S  | SPRING 4,8N/MM SET D=5,25 MM   |                 | 0.00 |
| 38  | 91410028S  | SPRING 4,6 N/MM SET D=5,1MM    |                 | 0.00 |
| 39  | 48600456   | Washer 35x43x2,5 plastic       |                 | 0.00 |
| 39  | 48600457   | Preload bush 35x43x3,5         |                 | 0.00 |
| 39  | 48600458   | Washer 35x43x1,5 plastic       |                 | 0.00 |
| 40  | 48600525   | Spring retainer 12,3x19x1,25 r | 10mm increase   | 2.00 |
| 42  | 48600520   | Spring support ring 27,08x42x4 |                 | 2.00 |
| 43  | 48600299   | O-ring 6x1,2 NBR70             |                 | 4.00 |
| 44  | 48600578   | Spring (13,9) 37-32 rebound    |                 | 2.00 |
| 45  | 48600576   | Tap 6x46 rebound               |                 | 2.00 |
| 47  | 48600382   | Spring (11,4) 0,4-8 valve      |                 | 2.00 |
| 48  | 48600519S3 | reed holder incl. PIN SET      |                 | 2.00 |
| 49  | 48600512   | Round-wire snap ring 28,5x1,5  |                 | 2.00 |
| 50  | 48600542   | HS countersunk head screw M4x6 |                 | 2.00 |
| 51  | 46811499   | O-ring 21x2 NBR70              |                 | 4.00 |
| 52  | 48600047   | Piston 6x27,8x9 compression    |                 | 2.00 |
| 53  | 50180222   | O-ring 4x1,5 NBR70             |                 | 8.00 |
| 54  | 48600977S  | PIN KIT                        |                 | 2.00 |
| 55  | 40540486   | Nut M6x0,5 h6,5 WAF10 rebound  |                 | 2.00 |
| 56  | 48600744   | Guiding ring 39x44x8           |                 | 2.00 |
| 57  | 48600577   | Spring guide ring 27,08x32x9,5 |                 | 2.00 |
| 59  | 48600113   | Washer 32x42x2,5 plastic       |                 | 2.00 |
| 60  | 48600863SA | AXLE CLAMP LEFT + TUBE CPL.    |                 | 1.00 |
| 61  | 48600864SA | fork shoe ri. + tube cmpl.     |                 | 1.00 |
| 62  | 0025080256 | HH collar screw M8x25          | A400C102Z106102 | 4.00 |
| 63  | 48600885   | Nut valve M6x0,5 h6,5 WAF17    |                 | 2.00 |
| 64  | 48600202   | Spring (8,5) l6,5 valve        |                 | 2.00 |
| 69  | 48600509   | Tap 6x38 compression           |                 | 2.00 |
| 71  | 48600575   | Piston 6,07x22,7x13            |                 | 2.00 |
| 72  | 48600455   | Piston ring 21x23x5            |                 | 2.00 |
| 74* | 48601056   | Spring retainer 13,5x21,9x2,65 |                 | 2.00 |
| 75  | 48600829   | Seal ring Freudenberg 12mm 85S |                 | 2.00 |
| 76* | 48601055S  | SCREW SLEEVE M24,5X1 CPL.      |                 | 2.00 |
| 77  | 48600430   | Guide bushing 12x14x10         |                 | 2.00 |
| 78  | 48600709   | Check valve locking R4         |                 | 2.00 |

|     |            |                                |  |      |
|-----|------------|--------------------------------|--|------|
| 79  | 48600446   | Round-wire snap ring 24x2      |  | 2.00 |
| 81  | 15080017   | Silicon plug 60Sh              |  | 2.00 |
| 82  | 48600692   | Rubber cap 26,4x11             |  | 2.00 |
| 83  | 48600765S1 | FORK OIL SAE5 5L 2008          |  | 1.00 |
| 84  | 40140024   | O-ring 43x2 NBR70 siliconized  |  | 2.00 |
| 85  | 48600516S1 | screw cap M41x1 cml.           |  | 2.00 |
| 87  | 48600526   | Cross flat head screw M4x10    |  | 4.00 |
| 88  | 48600514   | Clamping ring bladder 11,31x22 |  | 2.00 |
| 98  | T511       | SILICONE GREASE F. DUST STRI   |  | 1.00 |
| 99* | R14020     | SXS SERVICE KIT                |  | 1.00 |

\* = New part