



| Pos | Part Number | Description | Additional Text | Quantity |
|-----|-------------|-------------------------------|-----------------|----------|
| 2 | 46810340 | O-ring 45x2 NBR70 siliconized | | 2.00 |
| 3 | 48600018 | Adjuster rebound | | 2.00 |
| 5 | 40540603 | Steel ball d3 | | 8.00 |
| 6 | 48600028 | Spring (1,7) I7,9 | | 4.00 |
| 7 | 48600044 | O-ring 6x1,5 NBR70 | | 2.00 |
| 10 | 48600043 | O-ring 12x1,5 NBR70 | | 2.00 |
| 11 | 48600019 | Tube tap d4x25 | | 2.00 |
| 12 | 48600336 | OUTER TUBE L=610MM D=54/60 | | 2.00 |
| 13 | 48600016 | Round-wire snap ring 48x2 | | 2.00 |
| 14 | 48600245 | SPACER 50,95X0,85X161,5 | | 2.00 |
| 15 | 48600205 | DU-BUSH 48X52X12 | | 2.00 |

| | | | | |
|-----|------------|--------------------------------|----------------------|------|
| 16 | 48600013 | Supportwasher 50x57,6x1,5 | | 2.00 |
| 17* | 48600347 | OIL SEAL RING 48X57,8X9,5 03 | | 2.00 |
| 18 | 48600070 | Snap ring SB58x1,5 acc drawing | | 2.00 |
| 19* | 48600186 | DUST STRIPPER D=48 | | 2.00 |
| 20 | 48600236 | Guide bushing 48x51x12 | | 2.00 |
| 22 | 48600204 | DU-BUS 47X49X20 | | 2.00 |
| 23 | 48600240 | INNER TUBE D=48 L=595 2003 | | 2.00 |
| 24 | 48600241S | HYDR.STOP L=200MM D=31,9 CPL | ADVENTURE S | 2.00 |
| 24 | 48600342S | HYDR.STOP L=235 D=31,9 CPL. | ADVENTURE | 2.00 |
| 30 | 48600225 | Adjustment tube 6x482 | | 2.00 |
| 31 | 48600253 | PISTONROD 14X11X1 L=516 | ADVENTURE | 2.00 |
| 33 | 48600189 | Needle 6x42,6 rebound | | 2.00 |
| 34 | 48600046 | O-ring 3x1,5 NBR70 | | 2.00 |
| 35 | 48600033 | Spring (7,2) 4-23 needle | | 2.00 |
| 36 | 48600113 | Washer 32x42x2,5 plastic | | 2.00 |
| 37 | 48600036 | Preload bush 42x26,5x2,5 | ONLY FOR 200 SX | 2.00 |
| 37 | 48600037 | Preload bush 26,5x42x5 | | 2.00 |
| 37* | 48600038 | Preload bush 26,5x42x10 | ONLY FOR ADVENTURE S | 2.00 |
| 37 | 48600053 | Preload bush 26,5x42x1,5 | | 2.00 |
| 38 | 91410020S | SPRING 4,8N/MM SET D=5,25 MM | | 1.00 |
| 39 | 48600021 | Spring retainer 33,5x43x3 | | 2.00 |
| 42 | 48600196S | Screw sleeve M29,3x1 cpl. | | 2.00 |
| 43 | 48600239 | O-ring 8x1,25 NBR70 silicone | | 2.00 |
| 44 | 48600261 | REBOUND SPRING 34,5X15X11 | | 2.00 |
| 45 | 48600203 | Tap 6x45 rebound | | 2.00 |
| 47 | 35480377 | Spring (11,7) 1,5-8 valve | | 2.00 |
| 49 | 48600062 | CHECK VALVE 8X24X0,1 | | 8.00 |
| 50 | 48600063 | Shim 6x24x0,10 | | 0.00 |
| 50 | 48600064 | Shim 6x22x0,10 | | 0.00 |
| 50 | 48600065 | Shim 6x20x0,10 | | 0.00 |
| 50 | 48600116 | Shim 6x24x0,10 delta | | 0.00 |
| 50 | 48600212 | PRESSURE-RING 20X16,25X0,20 | | 0.00 |
| 50 | 40540401 | Shim 6x14x0,10 | | 0.00 |
| 50 | 40540402 | Shim 6x16x0,10 | | 0.00 |
| 50 | 40540403 | Shim 6x18x0,10 | | 0.00 |
| 50 | 40540414 | SHIM 6X16X0,25 | | 0.00 |
| 50 | 40540415 | SHIM 6X18X0,25 | | 0.00 |
| 50 | 40540447 | Shim 6x10x0,30 | | 0.00 |
| 50 | 40540449 | Shim 6x9x0,30 | | 0.00 |
| 51 | 48600060 | Pistonring 26x28x5 | | 2.00 |
| 52 | 48600201 | Piston 6x27,65x12 rebound | | 2.00 |
| 55 | 40540486 | Nut M6x0,5 h6,5 WAF10 rebound | | 2.00 |
| 58 | 48600226 | Tube 28x420 alu | ADVENTURE S | 2.00 |
| 58 | 48600140 | TUBE 29,3X1X385 ALU | 625 SC SUPERMOTO | 2.00 |
| 59 | 48600048 | O-ring 46x2 NBR70 siliconized | | 2.00 |
| 60* | 48600207S | AXLE CLAMP L/S CPL. D=30 04 | | 1.00 |
| 61* | 48600208S | AXLE CLAMP R/S CPL. D=34 04 | | 1.00 |
| 62 | 0015080303 | HH COLLAR SCREW M 8X30 WS=10 | | 4.00 |
| 63 | 48600163 | Nut valve M6x0,5 h6,5 WAF17 | | 2.00 |
| 64 | 48600202 | Spring (8,5) l6,5 valve | | 2.00 |
| 69 | 48600152S1 | TAP COMPRESSION CPL. 03 | | 2.00 |

| | | | | |
|-----|------------|--------------------------------|------------|------|
| 70 | 48600061 | Shim 8x24x0,40 | | 2.00 |
| 71 | 48600047 | Piston 6x27,8x9 compression | | 2.00 |
| 72 | 46811499 | O-ring 21x2 NBR70 | | 2.00 |
| 73 | 35480320 | O-ring 24x2 NBR70 | | 2.00 |
| 74 | 48600152 | TAP COMPRESSION | | 2.00 |
| 75 | 48600190 | Needle 10x11,6 compression | | 2.00 |
| 76 | 48600049 | O-ring 8x2 NBR70 | | 2.00 |
| 79 | 48600051 | Round-wire snap ring 12x1 DIN7 | | 2.00 |
| 80 | 48600034 | Adjustment screw slot compress | | 2.00 |
| 81 | 48600004 | Copper disc 29,5x33,5x1 | | 2.00 |
| 82 | 48600141 | Rubber cap 35x10 NBR80 | | 2.00 |
| 83 | 48600211S1 | FORK OIL SAE 5 | 1,22 LITRE | 1.00 |
| 85 | 48600075S | PRE-LOAD ADJUSTER CPL.(1 PC.) | | 2.00 |
| 87 | 48600076 | VENT SCREW M4X8 | | 2.00 |
| 88 | 48600046 | O-ring 3x1,5 NBR70 | | 2.00 |
| 89 | 48600075 | SCREW CAP M51X1,5 | | 2.00 |
| 90* | 48600073S | ADAPTER ADJUST. KNOB + BUSHING | | 2.00 |
| 91 | 48600077 | O-ring 26x2 NBR90 | | 2.00 |
| 92 | 46810010 | Round-wire snap ring 49x1,5 | | 2.00 |
| 93 | 48600072 | Locking nut M25x1 LH h7 WAF32 | | 2.00 |
| 94 | 48600071 | Carrier ring spring fork | | 2.00 |
| 99 | R14007 | REPAIR-KIT GASKET 4860 MXMA 03 | | 1.00 |

* = New part