




| Pos | Part Number | Description                   | Additional Text | Quantity |
|-----|-------------|-------------------------------|-----------------|----------|
| 2   | 46810340    | O-ring 45x2 NBR70 siliconized |                 | 2.00     |
| 3   | 48600018    | Adjuster rebound              |                 | 2.00     |
| 5   | 40540603    | Steel ball d3                 |                 | 8.00     |
| 6   | 48600028    | Spring (1,7) I7,9             |                 | 4.00     |
| 7   | 48600044    | O-ring 6x1,5 NBR70            |                 | 2.00     |
| 10  | 48600043    | O-ring 12x1,5 NBR70           |                 | 2.00     |
| 11  | 48600019    | Tube tap d4x25                |                 | 2.00     |
| 12* | 48600381    | OUTER TUBE L=577MM D=54/60MM  |                 | 2.00     |
| 13  | 48600016    | Round-wire snap ring 48x2     |                 | 2.00     |
| 15  | 48600205    | DU-BUSH 48X52X12              |                 | 2.00     |
| 16  | 48600013    | Supportwasher 50x57,6x1,5     |                 | 2.00     |

|     |           |                                |                 |      |
|-----|-----------|--------------------------------|-----------------|------|
| 17* | 48600399  | Shaft seal SKF 48x57,8x9,5 bla |                 | 2.00 |
| 18  | 48600070  | Snap ring SB58x1,5 acc drawing |                 | 2.00 |
| 19* | 48600400  | DUST CAP D=48 58,4X11,8        |                 | 2.00 |
| 22  | 48600204  | DU-BUS 47X49X20                |                 | 2.00 |
| 23* | 48600377  | INNER TUBE D=48 L=595 2005     |                 | 2.00 |
| 24* | 48600380S | HYDR.STOP L=200MM D=31,9 CPL.  |                 | 2.00 |
| 30  | 48600092  | ADJUSTMENT TUBE L=517MM        |                 | 2.00 |
| 31* | 48600409  | PISTON ROD D=14 L=551 M11X1    |                 | 2.00 |
| 33  | 48600189  | Needle 6x42,6 rebound          |                 | 2.00 |
| 34  | 48600046  | O-ring 3x1,5 NBR70             |                 | 2.00 |
| 35  | 48600033  | Spring (7,2) 4-23 needle       |                 | 2.00 |
| 36  | 48600113  | Washer 32x42x2,5 plastic       |                 | 2.00 |
| 37  | 48600036  | Preload bush 42x26,5x2,5       | ONLY FOR 200 SX | 2.00 |
| 37  | 48600037  | Preload bush 26,5x42x5         |                 | 2.00 |
| 37  | 48600053  | Preload bush 26,5x42x1,5       |                 | 2.00 |
| 38  | 91410011S | SPRING 3,6N/MM SET             |                 | 0.00 |
| 38  | 91410012S | SPRING 3,8N/MM SET D=4,9MM     |                 | 0.00 |
| 38  | 91410013S | SPRING 4,0N/MM SET D=5,0MM     |                 | 0.00 |
| 38  | 91410014S | SPRING 4,2N/MM SET D=5,0MM     | 125 SX          | 0.00 |
| 38  | 91410015S | SPRING 4,4N/MM SET D=5,1MM     | 250 SX          | 0.00 |
| 38  | 91410016S | SPRING 4,6N/MM SET             |                 | 1.00 |
| 38  | 91410017S | SPRING 4,8N/MM SET             |                 | 0.00 |
| 39  | 48600021  | Spring retainer 33,5x43x3      |                 | 2.00 |
| 42* | 48600383S | SCREW SLEEVE M29,3X1 L=90 CPL. |                 | 2.00 |
| 43  | 48600239  | O-ring 8x1,25 NBR70 silicone   |                 | 2.00 |
| 44* | 48600403  | Spring (15) 12-34,5 rebound    |                 | 2.00 |
| 45  | 48600203  | Tap 6x45 rebound               |                 | 2.00 |
| 47  | 35480377  | Spring (11,7) 1,5-8 valve      |                 | 2.00 |
| 49  | 48600062  | CHECK VALVE 8X24X0,1           |                 | 0.00 |
| 49* | 48600068  | CHECK VALVE 8X18X0,1           |                 | 0.00 |
| 49  | 48600215  | Shim 8x20x0,10                 |                 | 0.00 |
| 49* | 48600216  | Shim 8x22x0,10                 |                 | 0.00 |
| 49  | 48600352  | CHECK VALVE 8X11X0,4           |                 | 0.00 |
| 49* | 48600357  | Shim 8x11x0,10                 |                 | 0.00 |
| 50  | 40540400  | Shim 6x12x0,10                 |                 | 0.00 |
| 50  | 40540401  | Shim 6x14x0,10                 |                 | 0.00 |
| 50  | 40540402  | Shim 6x16x0,10                 |                 | 0.00 |
| 50  | 40540403  | Shim 6x18x0,10                 |                 | 0.00 |
| 50  | 40540414  | SHIM 6X16X0,25                 |                 | 0.00 |
| 50  | 40540415  | SHIM 6X18X0,25                 |                 | 0.00 |
| 50* | 40540447  | Shim 6x10x0,30                 |                 | 0.00 |
| 50  | 40540450  | Shim 6x9,5x0,30                |                 | 0.00 |
| 50  | 48600063  | Shim 6x24x0,10                 |                 | 0.00 |
| 50  | 48600064  | Shim 6x22x0,10                 |                 | 0.00 |
| 50  | 48600065  | Shim 6x20x0,10                 |                 | 0.00 |
| 50  | 48600116  | Shim 6x24x0,10 delta           |                 | 0.00 |
| 51  | 48600060  | Pistonring 26x28x5             |                 | 2.00 |
| 52  | 48600042  | Piston 6,05x27,65x12 rebound   |                 | 2.00 |
| 55  | 40540486  | Nut M6x0,5 h6,5 WAF10 rebound  |                 | 2.00 |
| 58  | 48600081  | TUBE 29,3X1X390 D=8,5MM        | 625 SC          | 2.00 |
| 59  | 48600048  | O-ring 46x2 NBR70 siliconized  |                 | 2.00 |

|     |            |                                |            |      |
|-----|------------|--------------------------------|------------|------|
| 60  | 48600237S  | AXLE CLAMP L/S CPL. USD48 04   |            | 1.00 |
| 61  | 48600238S  | AXLE CLAMP R/S CPL. USD48 04   |            | 1.00 |
| 62* | 0015080253 | HH COLLAR SCREW M 8X25 WS=10   |            | 4.00 |
| 63  | 48600163   | Nut valve M6x0,5 h6,5 WAF17    |            | 2.00 |
| 64  | 48600202   | Spring (8,5) l6,5 valve        |            | 2.00 |
| 69  | 48600152S1 | TAP COMPRESSION CPL. 03        |            | 2.00 |
| 70  | 48600061   | Shim 8x24x0,40                 |            | 2.00 |
| 71  | 48600047   | Piston 6x27,8x9 compression    |            | 2.00 |
| 72  | 46811499   | O-ring 21x2 NBR70              |            | 2.00 |
| 73  | 35480320   | O-ring 24x2 NBR70              |            | 2.00 |
| 74  | 48600152   | TAP COMPRESSION                |            | 2.00 |
| 75  | 48600190   | Needle 10x11,6 compression     |            | 2.00 |
| 76  | 48600049   | O-ring 8x2 NBR70               |            | 2.00 |
| 79  | 48600051   | Round-wire snap ring 12x1 DIN7 |            | 2.00 |
| 80  | 48600034   | Adjustment screw slot compress |            | 2.00 |
| 81  | 48600004   | Copper disc 29,5x33,5x1        |            | 2.00 |
| 82  | 48600141   | Rubber cap 35x10 NBR80         |            | 2.00 |
| 83* | 48600401S1 | FORK OIL SAE5 5L 2005          | 0,84 LITRE | 1.00 |
| 85  | 48600075S  | PRE-LOAD ADJUSTER CPL.(1 PC.)  |            | 2.00 |
| 87  | 48600076   | VENT SCREW M4X8                |            | 2.00 |
| 88  | 48600046   | O-ring 3x1,5 NBR70             |            | 2.00 |
| 89  | 48600075   | SCREW CAP M51X1,5              |            | 2.00 |
| 90* | 48600073S  | ADAPTER ADJUST. KNOB + BUSHING |            | 2.00 |
| 91  | 48600077   | O-ring 26x2 NBR90              |            | 2.00 |
| 92  | 46810010   | Round-wire snap ring 49x1,5    |            | 2.00 |
| 93  | 48600072   | Locking nut M25x1 LH h7 WAF32  |            | 2.00 |
| 94  | 48600071   | Carrier ring spring fork       |            | 2.00 |
| 98* | T511       | SILICONE GREASE F. DUST STRI   |            | 1.00 |
| 99* | R14009     | REPAIR-KIT GASKET 4860 MXMA 05 |            | 1.00 |

\* = New part