



| Pos | Part Number | Description | Additional Text | Quantity |
|-----|-------------|-------------------------------|-----------------|----------|
| 1 | 48600020S | SREW CAP+BUSH M51X1,5 | | 2.00 |
| 2* | 46810340 | O-ring 45x2 NBR70 siliconized | | 2.00 |
| 3 | 48600018 | Adjuster rebound | | 2.00 |
| 4* | 48600020S1 | SCREW CAP M51X1,5 CPL. | | 2.00 |
| 5 | 40540603 | Steel ball d3 | | 8.00 |
| 6 | 48600028 | Spring (1,7) I7,9 | | 4.00 |
| 7 | 48600044 | O-ring 6x1,5 NBR70 | | 2.00 |
| 8 | 48600058 | Cross flat head screw M4x6 | | 2.00 |
| 9 | 48600009 | O-ring 3,7x1,6 NBR70 | | 2.00 |
| 10 | 48600043 | O-ring 12x1,5 NBR70 | | 2.00 |
| 11 | 48600019 | Tube tap d4x25 | | 2.00 |

| | | | | |
|-----|-----------|--------------------------------|----------------------|------|
| 12 | 43570125 | OUTER TUBE L=577MM D=54/57MM | | 2.00 |
| 13 | 43570099 | Round-wire snap ring 53x2 | | 2.00 |
| 15 | 43570019 | DU-BUSH 47 X 43 X 20 | | 2.00 |
| 16 | 43570092 | Supportwasher 45x52,5x1,5 | | 2.00 |
| 17 | 43570140 | OIL SEAL RING 43X53,15X9,5 | | 2.00 |
| 18 | 43570008 | Snap ring SB53x1,5 acc drawing | | 2.00 |
| 19 | 43570094 | DUST STRIPPER D=43MM | | 2.00 |
| 22 | 43570020 | DU-BUSH 43,8 X 43 X 20 | | 2.00 |
| 23 | 43570145 | INNER TUBE D=43MM L=585MM | | 2.00 |
| 24 | 43570142S | HYDR.STOP L=200MM D=27,5 CPL | | 2.00 |
| 29* | 48600175 | O-ring 6,3x2,4 NBR70 | | 2.00 |
| 30* | 48600014 | ADJUSTMENT TUBE L=512MM | 625 SC | 2.00 |
| 30 | 48600094 | ADJUSTMENT TUBE L=492MM | 625 SC SUPERMOTO | 2.00 |
| 31* | 48600023 | PISTONR. D=14MM L=546MM M11X1 | 625 SC | 2.00 |
| 31 | 48600093 | PISTONR. D=14MM L=526MM M11X1 | 625 SC SUPERMOTO | 2.00 |
| 33* | 48600150 | * REBOUND NEEDLE | | 2.00 |
| 34 | 48600046 | O-ring 3x1,5 NBR70 | | 2.00 |
| 35 | 48600033 | Spring (7,2) 4-23 needle | | 2.00 |
| 36 | 48600036 | Preload bush 42x26,5x2,5 | ONLY FOR 200 SX | 0.00 |
| 36 | 48600037 | Preload bush 26,5x42x5 | | 0.00 |
| 36 | 48600038 | Preload bush 26,5x42x10 | ONLY FOR ADVENTURE S | 0.00 |
| 36 | 48600053 | Preload bush 26,5x42x1,5 | | 0.00 |
| 38 | 95010010S | SPRING 3,6 N/MM SET D=4,6MM | | 0.00 |
| 38 | 95010012S | SPRING 4,4 N/MM SET D=4,9MM | 400/640 LC4-E | 0.00 |
| 38 | 95010002S | SPRING 4,0 N/MM SET D=4,75MM | | 0.00 |
| 38 | 95010003S | SPRING 4,2 N/MM SET D=4,9MM | 625 SC | 1.00 |
| 38 | 95010022S | SPRING 5,0 N/MM SET D=5,0MM | 640 LC4-E SM | 1.00 |
| 39 | 43570131 | Spring retainer 33,5x38,2x3 | | 2.00 |
| 42 | 43570132S | SCREW SLEEVE M29,3X1+BUSH | | 2.00 |
| 44* | 48600178 | REBOUND SPRING D=14,6MM L=75MM | 640 LC4 | 2.00 |
| 44 | 48600015 | REBOUND SPRING D=14,6MM L=22MM | 640 LC4 SUPERMOTO | 2.00 |
| 45* | 48600151 | TAB REBOUND | | 2.00 |
| 47* | 35480377 | Spring (11,7) 1,5-8 valve | | 2.00 |
| 49 | 48600062 | CHECK VALVE 8X24X0,1 | | 8.00 |
| 50 | 40540400 | Shim 6x12x0,10 | | 0.00 |
| 50 | 40540401 | Shim 6x14x0,10 | | 0.00 |
| 50 | 40540402 | Shim 6x16x0,10 | | 0.00 |
| 50 | 40540403 | Shim 6x18x0,10 | | 0.00 |
| 50 | 40540404 | SHIM 6X12X0,15 | | 0.00 |
| 50 | 40540405 | SHIM 6X14X0,15 | | 0.00 |
| 50 | 40540411 | Shim 6x18x0,20 | | 0.00 |
| 50 | 40540414 | SHIM 6X16X0,25 | | 0.00 |
| 50 | 40540447 | Shim 6x10x0,30 | | 0.00 |
| 50* | 40541417 | SHIM 6X11X0,25 | | 0.00 |
| 50 | 48600063 | Shim 6x24x0,10 | | 0.00 |
| 50 | 48600064 | Shim 6x22x0,10 | | 0.00 |
| 50 | 48600065 | Shim 6x20x0,10 | | 0.00 |
| 50 | 48600116 | Shim 6x24x0,10 delta | | 0.00 |
| 50* | 48600139 | SHIM 6X22X0,1 DELTA | | 0.00 |
| 51 | 48600060 | Pistonring 26x28x5 | | 2.00 |
| 52 | 48600042 | Piston 6,05x27,65x12 rebound | | 2.00 |

| | | | | |
|-----|-----------|--------------------------------|------------------|------|
| 55 | 40540486 | Nut M6x0,5 h6,5 WAF10 rebound | | 2.00 |
| 58* | 48600081 | TUBE 29,3X1X390 D=8,5MM | 625 SC | 2.00 |
| 58 | 48600140 | TUBE 29,3X1X385 ALU | 625 SC SUPERMOTO | 2.00 |
| 59 | 43570023 | O-ring 41x2 NBR70 siliconized | | 2.00 |
| 60 | 43570124 | AXLE CLAMP L/S 260MM M8 2000 | | 1.00 |
| 61 | 43570123 | AXLE CLAMP RIGHT M8 2000 | | 1.00 |
| 62 | 50600061 | HH COLLAR SCREW M 8X30 | | 4.00 |
| 63 | 40541241 | CHECK VALVE NUT M6X0,5 | | 2.00 |
| 64 | 40541278 | Spring (8,5) I6,5 valve | | 2.00 |
| 69* | 48600152S | TAP COMPRESSION CPL. | | 2.00 |
| 70 | 48600061 | Shim 8x24x0,40 | | 2.00 |
| 71 | 48600047 | Piston 6x27,8x9 compression | | 2.00 |
| 72 | 46811499 | O-ring 21x2 NBR70 | | 2.00 |
| 73 | 35480320 | O-ring 24x2 NBR70 | | 2.00 |
| 74* | 48600152 | TAP COMPRESSION | | 2.00 |
| 75* | 48600153 | NEEDLE COMPRESSION M10X1 | | 2.00 |
| 76 | 48600049 | O-ring 8x2 NBR70 | | 2.00 |
| 79 | 48600051 | Round-wire snap ring 12x1 DIN7 | | 2.00 |
| 80 | 48600034 | Adjustment screw slot compress | | 2.00 |
| 81 | 48600004 | Copper disc 29,5x33,5x1 | | 2.00 |
| 82* | 48600141 | Rubber cap 35x10 NBR80 | | 2.00 |
| 90 | 40540882 | FORKOIL REZ 71 SAE 5 | | 1.00 |

* = New part