




1

**ACHTUNG**

Lesen Sie vor der ersten Inbetriebnahme des Fahrzeuges die gesamte Bedienungsanleitung aufmerksam durch!

**IMPORTANT**

Please read the entire owner's manual carefully before putting the vehicle into operation for the first time.

2

**ATTENZIONE**

Prima della messa in funzione iniziale del veicolo, leggere con attenzione l'intero manuale d'uso!

**ATTENTION**

Lire attentivement l'ensemble du manuel d'utilisation avant de mettre le véhicule en service!

**ATENCIÓN**

Lea completa y atentamente el manual de instrucciones antes de poner en servicio por primera vez el vehículo!

3

1290 SUPER DUKE GT		615.03.098.000
Fuel:	RON 95 unleaded (USA = PREMIUM PON 91)	
Tyre front:	120/70 ZR17 M/C (58W) TL	
Air pressure front:	rider only	2.5 bar (36 psi)
	max. payload	2.5 bar (36 psi)
Tyre rear:	180/55 ZR17 M/C (78W) TL	
Air pressure rear:	rider only	2.9 bar (42 psi)
	max. payload	2.9 bar (42 psi)
Max payload:	228 kg (503 lbs)	
Max. total weight:	459 kg (1012 lbs)	
Engine oil:	Fully synthetic 10W/50 (5W/40 under 0°C, 32°F)	
Further information see owner's manual		

4

z.B. Typenschild

---

e.g. type label

<b>Pos</b>	<b>Part Number</b>	<b>Description</b>	<b>Additional Text</b>	<b>Quantity</b>
1	61303099000	AUFKLEBER KETTENSANNUNG		1.00
2	50307098000	STICKER "OWNERS MANUAL"		1.00
3	61503098000	Sticker technical information		1.00
4	00040000100	adhesive foil, silver 95x35mm		3.00
5	00040000105	KLEBEFOLIE SILBER 95X53MM		1.00