





1


Please read the entire owner's manual before putting the vehicle into operation for the first time!
Lire attentivement l'ensemble du manuel d'utilisation avant de mettre le véhicule en service!

A600.07.098.100

2

SETTING look owner's manual	FORK		SHOCK			
	Compression (clicks)	Rebound (clicks)	Comp. low speed (clicks)	Comp. high speed (turns)	Rebound (clicks)	Spring preload
Comfort	20	20	20	2	20	18mm
Standard	15	15	15	1,5	15	18mm
Sport	10	10	10	1	10	18mm
Max. payload	10	10	10	1	10	25mm

3



4

SPARE 25A	FUSE 25A	SPARE 15A	ABS control unit
	FUSE 10A		ABS control unit
FUSE 9 - 10A	SPARE 15A		ABS wakeup, dashboard wakeup, bCCU wakeup, 6D sensor, OBD
FUSE 8 - 15A	SPARE 15A		ACC2, USB-charging, HCU
FUSE 7 - 10A	SPARE 15A		ACC1
FUSE 6 - 10A	SPARE 15A		High beam, low beam, position-, tail-, licence light
FUSE 5 - 10A	SPARE 15A		Horn, brake light
FUSE 4 - 10A	SPARE 15A		radiator fans

Pos	Part Number	Description	Additional Text	Quantity
1	A60007098100	Fuel tank sticker NA		1.00
2	76901198000	Sticker STD setting 690 SMC-R		1.00
3	76504099000	Sticker "Kettenspannung"		1.00
4	A60611087010	Decal fuse box		1.00